

| | | |
|--------------------|-----------------------|------------------|
| Infosafe No™ 3NUQL | Issue Date : May 2019 | ISSUED by NUFARM |
|--------------------|-----------------------|------------------|


Product Name **Weedmaster DST Dual Salt Technology Herbicide**

Classified as hazardous

1. Identification

| | | | |
|--|---|--|---------------------|
| GHS Product Identifier | Weedmaster DST Dual Salt Technology Herbicide | | |
| Product Code | 0714 | | |
| Product Type | Group M Herbicide | | |
| Company Name | NUFARM AUSTRALIA LIMITED. (ABN 80 004 377 780) | | |
| Address | 103-105 Pipe Road Laverton North Victoria 3026 Australia | | |
| Telephone/Fax Number | Tel: +61 3 9282-1000 Fax: +61 3 9282-1001 | | |
| Emergency phone number | 1800 033 498 (24hr Australia) | | |
| Recommended use of the chemical and restrictions on use | Water soluble herbicide for non selective control of many annual and perennial weeds in conservation tillage situations as per the Directions for Use table on the label. | | |
| Other Names | <u>Name</u> | | <u>Product Code</u> |
| | Weedmaster DST Dual Salt Technology Herbicide | | 0960 |
| Other Information | This Safety Data Sheet describes the properties of the concentrated product. The physical properties and the assessments may not apply to the properties of the product once it has been diluted for application. | | |

2. Hazard Identification

| | | | |
|--|---|--|--|
| GHS classification of the substance/mixture | Eye Damage/Irritation: Category 2A Skin Corrosion/Irritation: Category 2 | | |
| Signal Word (s) | WARNING | | |
| Hazard Statement (s) | Causes serious eye irritation. Causes skin irritation. | | |
| General Precautionary Statement (s) | If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. | | |
| Pictogram (s) | Exclamation mark, The below pictograms are GHS Hazard symbols for workplace use only. See SECTION 14 for Dangerous Goods information. | | |
| |  | | |
| Precautionary statement – Prevention | Wash hands and exposed skin thoroughly after handling. Wear protective gloves, clothing, eye and face protection. | | |
| Precautionary statement – Response | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. | | |
| Other Information | Poisons Schedule S5 | | |

3. Composition/information on ingredients

| | | | |
|----------------------------------|-------------|------------|-------------------|
| Chemical Characterization | Liquid | | |
| Ingredients | <u>Name</u> | <u>CAS</u> | <u>Proportion</u> |

Infosafe No™ 3NUQL Issue Date : May 2019 ISSUED by NUFARM

Product Name **Weedmaster DST Dual Salt Technology Herbicide**

Classified as hazardous

| | | |
|---|-----------|---------|
| Glyphosate (present as the potassium and mono-ammonium salts) | 1071-83-6 | 470 g/L |
| Alkoxyated alkylamine surfactant | | 0-10 % |
| Water | | Balance |

4. First-aid measures

Inhalation Remove affected person to fresh air until recovered.

Ingestion If swallowed do NOT induce vomiting; seek medical advice immediately and show this container or label or contact the Poisons Information Centre on 13 11 26 (Aust). Make every effort to prevent vomit from entering the lungs by careful placement of the patient.
Do not give anything by mouth to a semi-conscious or unconscious person.
Give a glass of water.

Skin Wash affected areas thoroughly with soap and water.
If irritation persists, seek medical advice.

Eye contact If in eyes, hold eyelids open and wash with copious amounts of water for at least 15 minutes.
Seek medical advice.

First Aid Facilities If poisoning occurs, contact a doctor or the Poisons Information Centre (Australia) on 13 11 26.

Advice to Doctor Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media If involved in a fire, the product will not burn. Choose extinguishing media to suit the burning material.
Water, foam, carbon dioxide or dry chemical.

Hazards from Combustion Products Keep upwind.
This product, or spray solutions of this product, react with galvanised steel or unlined steel (except stainless steel) containers and tanks, to produce hydrogen gas which may form a highly flammable or explosive gas mixture.
If involved in a major fire, could evolve oxides of nitrogen or phosphorus.

Special Protective Equipment for fire fighters Breathable air apparatus may have to be worn if material is involved in fires especially in confined spaces.

Other Information STOP FIRE WATER FROM ENTERING DRAINS OR WATER BODIES.

6. Accidental release measures

Spills & Disposal Contain spill and absorb with clay, sand, soil or proprietary absorbent (such as vermiculite).
Collect in sealed open top containers for disposal.
Final clean-up with degreasing agent or detergent is advised.

Environmental Precautions Prevent from entering drains, waterways or sewers.

7. Handling and storage

Precautions for Safe Handling For personal protective equipment (PPE) and hygiene advice, refer Section 8.

Conditions for safe storage, including any incompatibilities Store in the closed, original container in a dry, well ventilated area out of direct sunlight.
Keep container tightly sealed and do not store with seed, fertilisers or foodstuffs.

Other Information Always read the label and any attached leaflet before use.

8. Exposure controls/personal protection

Occupational exposure limit values No exposure standard has been established for this product.

Infosafe No™ 3NUQL Issue Date : May 2019 ISSUED by NUFARM

Product Name **Weedmaster DST Dual Salt Technology Herbicide**

Classified as hazardous

| | |
|---|---|
| Appropriate engineering controls | No special ventilation required. |
| Personal Protective Equipment | When opening the container, preparing the spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and a washable hat, nitrile or elbow-length PVC gloves and face shield or goggles. |
| Hygiene Measures | After each day's use, wash contaminated clothing and safety equipment. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. |
| Requirements Concerning Special Training | Check State or Territory regulations that require people who use pesticides in their job or business to have training in the application of the materials. |

9. Physical and chemical properties

| | |
|----------------------------|---------------------------|
| Form | Liquid |
| Appearance | Green viscous liquid |
| Odour | Slight ammonia odour. |
| Melting Point | N/A |
| Boiling Point | >105°C |
| Solubility in Water | Soluble in water. |
| Specific Gravity | 1.29 @ 20°C |
| pH | 5.1 |
| Volatile Component | N/A |
| Flash Point | None |
| Flammability | Non combustible material. |

10. Stability and reactivity

| | |
|---|--|
| Incompatible Materials | Corrosive to mild steel, galvanised steel and zinc. Non corrosive to stainless steel, polyethylene and plastics. Do not mix, store or apply the product or spray solutions of the product in galvanised steel or unlined steel (except stainless steel) containers or spray tanks. |
| Possibility of hazardous reactions | Avoid contact of the concentrate with strong alkalis and alkaline materials such as lime. Such contact may release ammonia vapour with a strong characteristic odour, which is an irritant to eyes. Ammonia is moderately toxic, with a TLV of 25ppm (TWA) or 17mg/m3 which has been set. |
| Hazardous Polymerization | Hazardous polymerisation is not possible. |

11. Toxicological Information

| | |
|--|--|
| Toxicology Information | No harmful effects are expected if the precautions on the label and this MSDS are followed. |
| Acute Toxicity - Oral | LD50 (rat) >5000 mg/kg for a similar formulation |
| Acute Toxicity - Dermal Ingestion | LD50 (rabbits) >5000 mg/kg for a similar formulation The concentrate is of low toxicity if swallowed. Amounts swallowed incidental to normal handling procedures and use are not expected to cause injury. Possible symptoms of exposure include: nausea, vomiting and gastrointestinal discomfort and diarrhoea. Ingestion of a large quantity of the undiluted product may result in hypotension and pulmonary oedema. |
| Inhalation | When applying the product as a spray avoid breathing in spray mist. May cause irritation to mucous membranes and respiratory tract. |

| | | |
|--------------------|-----------------------|------------------|
| Infosafe No™ 3NUQL | Issue Date : May 2019 | ISSUED by NUFARM |
|--------------------|-----------------------|------------------|

Product Name **Weedmaster DST Dual Salt Technology Herbicide**

Classified as hazardous

| | |
|--------------------------------------|---|
| Skin | The concentrated product may cause slight irritation on contact. Prolonged contact is likely to result in irritation. |
| Eye | The concentrate may cause irritation of the eyes. Prolonged contact with the concentrate may cause damage to the eye. |
| Carcinogenicity | The Australian Pesticide and Veterinary Medicine Authority (APVMA) and other regulatory agencies classify glyphosate as non-carcinogenic based on the weight-of-evidence. In 2015 the International Agency for Research on Cancer (IARC) concluded that glyphosate was probably carcinogenic to humans. This finding was considered by the APVMA in its 2016 review (1). |
| Chronic Effects | No information available, no chronic effects expected. |
| Serious eye damage/irritation | The product is an eye irritant. |
| Skin corrosion/irritation | The product is a skin irritant. |
| Other Information | The Australian Acceptable Daily Intake (ADI) for glyphosate for a human is 0.3 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 30 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Aust Govt Dept. of APVMA, 'ADI List', June 2018). |

12. Ecological information

| | |
|---|---|
| Persistence and degradability | Adsorption studies indicate that glyphosate has very low mobility. Average field half life of glyphosate is 47 days. |
| Known Harmful Effects on the Environment | Harmful to fish and other aquatic organisms (mainly due to the surfactant). |
| Other Precautions | Do not spray in high winds. Do not contaminate dams, waterways or sewers with this product. |
| Environmental Protection | Glyphosate is a non-selective contact herbicide. Spray drift can cause damage. |
| Acute Toxicity - Fish | The following is data for a similar product. LC50 (96hr) for rainbow trout is 3.13 mg/l. TL50 (96hr) carp is 19.7 ppm |
| Acute Toxicity - Daphnia | EC50 (48hr) for daphnia magna is 8.0 mg/l. |
| Acute Toxicity - Algae | EC50 for 72hrs is 0.124 mg/l for Selenastrum capricornutum |
| Acute Toxicity - Other Organisms | The following data is for the active ingredient, glyphosate. Birds: Not toxic to birds. LD50 for bobwhite quail is >3850 mg/kg Bees: Not toxic to bees. LD50 >100 µg/bee. |

13. Disposal considerations

| | |
|---------------------------|--|
| Product Disposal | On site disposal of the concentrated product is not acceptable. Ideally, the product should be used for its intended purpose. If there is a need to dispose of the product, approach local authorities who hold periodic collections of unwanted chemicals (ChemClear®). |
| Container Disposal | Triple or preferably pressure rinse containers before disposal. Add rinsings to the spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal at an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Returnable containers: empty contents fully into application equipment. Replace cap, close all valves and return to the point of supply for refill or storage. Empty containers and product should not be burnt. |

Infosafe No™ 3NUQL Issue Date : May 2019 ISSUED by NUFARM

Product Name **Weedmaster DST Dual Salt Technology Herbicide**

Classified as hazardous

QuikPour containers: DO NOT separate inner bladder from outer carton. Single rinse and add rinsings to the spray tank. Puncture outer carton and bladder. Follow recycling instructions for other containers as per the label.

14. Transport information

Transport Information It is good practice not to transport agricultural chemical products with food, food related materials and animal feedstuffs.

Storage and Transport Considered non dangerous for transport by the Australian Code for the Transport of Dangerous Goods by Road and Rail.

15. Regulatory information

Regulatory Information Australia: WHS regulations (2011) - Schedule 11: classification not listed.

Poisons Schedule S5

Packaging & Labelling CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Other Information This product is registered with the Australian Pesticides and Veterinary Medicines Authority (APVMA). APVMA product number: 62723.

16. Other Information

Date of preparation or last revision of SDS Revised 07/05/2019.
This SDS replaces document dated May 2017.

Literature References (1). APVMA 2016 Regulatory position: consideration of the evidence for a formal reconsideration of glyphosate - (<https://apvma.gov.au/sites/default/files/publication/20701-glyphosate-regulatory-position-report-final.pdf>)

Contact Person/Point Normal Hours: Mrs Kathleen Marsh Phone: +61 3 9282 1000
After Hours: Shift Supervisor Phone: 1800 033 498

Revisions Highlighted The SDS was reviewed. Various changes were made to the information.
Section 11 - Carcinogenicity.
Section 16 - Literature reference.
...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.